
Adding a PRN Protocol to an Existing Prescription

Care Control eMAR · https://cclearninghub.co.uk/docs/adding-a-prn-protocol-to-an-existing-prescription/

Adding a PRN Protocol to an Existing Prescription

This guide will cover how to add a PRN Protocol to an existing prescription for a service user. This is completed in the Care Control eMAR application.






1

After signing into Care Control eMAR, select the **Prescription Change** tool.

2

Select a **Service User** and press **Continue**.


Select a Resident for Prescription Change
Room 0 - Jim Simons
First Floor 1 - Alice Lauks
Ground Floor 2 - Amanda Langhorn
Ground Floor 3 - Betty Hasel
Ground Floor 4 - Bonnie Hinnerk
Ground Floor 5 - Doreen Hache
Ground Floor 6 - Issabel Jackson
Ground Floor 7 - Frank Jones
Ground Floor 8 - Emma Smith
First Floor 9 - Eve Gieves
First Floor 10 - Esther Goulding
First Floor 11 - Leah Gallyon
First Floor 12 - Lisa Dovey
First Floor 13 - Lo Daber
First Floor 14 - Laura Derby
First Floor 15 - Polly Drake
Continue...





3

A list of the service users active prescriptions will be displayed. Here, select the prescription you wish to add a PRN Protocol to.

4

The details of the prescription will open. Press **Amend** to make a change.


Prescription for Mrs Alice Lauks
Medicine Description
Medication Detail:
Fluoextine 20mg Caps
Medication Type:
Regular Medication
More Details
Strength Value:
20mg
Location:
Drugs Room
In Blister Pack:
Reason for Medication:
Antidepressant
Prescription Detail
Start Date:
23/11/2023
Status:
Active
Start Time:
21:00:00
End Date:
Ongoing
Schedule Type:
Simple
More Details
Prescription Text:
Fluoextine 20mg Caps
Take ONE tablet in the Morning.
PRN:
Amend
Medication Type
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Select





5

If a PRN Protocol has not been added at all, tick the **PRN** box.

6

A protocol box will then appear further down the form. Press the **Edit** button to amend the content of the protocol.


Amend Prescription for Mrs Alice Lauks
Take ONE tablet in the Morning.
What you can amend?
Storage Location:
Drugs Room
PRN:
Self Administer:
In Blister Pack:
Reason for Medication:
Antidepressant
PRN Protocol:
How does the resident indicate that this medication is needed?
Save Changes
Medication Type
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Select




7

Enter the relevant information, then, press **OK**.

8

Finally, press **Save Changes** after making any amendments.


Amend Prescription for Mrs Alice Lauks
Prescription Text:
Fluoextine 20mg Caps
Take ONE tablet in the Morning as required.
What you can amend?
Storage Location:
Drugs Room
PRN:
Self Administer:
In Blister Pack:
Reason for Medication:
Antidepressant
PRN Protocol:
How does the resident indicate that this medication is needed?
PRN Protocol
Save Changes
Medication Type
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Regular Medication
Select